

## 30W LED SOLAR STREET LUMINAIRE

### 9350

#### Areas of Usage

- Garden
- Car Parks
- Sports Areas
- Streets



#### General Features

Housing Material	: ABS Plastic
Product Color	: RAL 9005
Impact Resistance	: IK06
IP Rating	: IP65
Operating Temperature	: -25°C ~ +50°C
LED Lifespan	: 30.000 h
Product Lifespan	: 30.000 h
Sensor & Sensing Distance	: Motion Sensor 360° & 5-8m
Dimmability	: Dimmable
Mounting Type	: Pole Mounted

#### Solar Panel Features

Panel Type	: Polycrystalline
Panel Voltage	: 6V
Panel Power	: 8W
Control Unit	: Remote Control


#### Electrical Features

Power	: 30 W
Battery Type	: LiFePo4
Battery Voltage	: 3.2V
Battery Capacity	: 6000mA
Charging Time	: 6 - 7 h
Operating Time	: 12 - 16 h
Protection Class	: III


*According to EU 2019/2015 Energy efficiency directive, there is a tolerance of ±10% for power and luminous flux values.*

### Optical Features

Luminous Flux	: 600 lm
Color Rendering Index CRI	: $\geq 80$
Beam Angle	: 120°
Light Source	: Mid Power LED
Color Temperature	: 6500K




### Dimensions & Weight



### Packaging Data

<u>Product Code</u>	<u>Units per Box (pcs)</u>	<u>Units per Carton (pcs)</u>	<u>Dimensions (width x length x height) (mm)</u>	<u>Weight (kg)</u>
9350	1	10	335 x 400 x 380	10,2

Remote Control Pin Diagram



<p><b>BUTTON 1 ON/OFF</b></p>	
<p><b>BUTTON 2 AUTO MOD</b></p> <p>In this mode, when the sensor detects, the product works with 100% light. When the sensor is not detects, the product works with %30 light.</p>	
<p><b>BUTTON 3,4,5</b></p> <p>The product stays on during the specified time intervals. (2 Hour, 5 Hour, 8 Hour)</p>	
<p><b>BUTTON 7.8</b></p> <p>It is dimmed in 4 steps.</p>	
<p><b>BUTTON 6</b></p> <p>Sensor disabled mode, Sensor is deactivating, The product starts working when at night.</p>	